

Material Safety Data Sheet



Revision Number: 001.1

Issue date: 09/02/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:	LePage Carpenter's Glue	IDH number:	530538
Product use:	Adhesive	Region:	Canada
Company address:	Contact information:		
Henkel Canada Corporation	Telephone: 800.624.7787		
6685 Kennedy Road, Suite #1	MEDICAL EMERGENCY Phone: Poison Control Center		
Mississauga, Ontario L5T 3A5	1-877-671-4608 (toll free) or 1-905-592-1711		
	TRANSPORT EMERGENCY Phone: CHEMTREC		
	1-800-424-9300 (toll free) or 1-703-527-3887		

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW			
Physical state:	Liquid/Liquid	WHMIS hazard class:	D 2.2
Color:	opaque, Yellow/opaque, Yellow		
Odor:	characteristic/characteristic		
CAUTION: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. MAY CAUSE GASTROINTESTINAL IRRITATION IF SWALLOWED.			

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Inhalation:	May cause slight irritation.
Skin contact:	May cause mild skin irritation.
Eye contact:	May cause mild irritation.
Ingestion:	May cause gastrointestinal tract irritation if swallowed. Not expected under normal conditions of use.

Existing conditions aggravated by exposure: None known

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
Vinyl acetate polymers	Proprietary	30 - 60
Polyvinyl alcohol	Proprietary	1 - 5
Boron oxide (B ₂ O ₃)	1303-98-2	0.1 - 1

4. FIRST AID MEASURES

Inhalation:	Move to fresh air. If not breathing, give artificial respiration. Get immediate medical attention.
Skin contact:	Immediately wash skin thoroughly with soap and water. Remove contaminated clothing and footwear. Get immediate medical attention.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get immediate medical attention.

IDH number: 530538

Page 1 of 1

Product name: LePage Carpenter's Glue

Revision Number: 001.1 Issue date: 09/02/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LePage Carpenter's Glue IDH number: 530538 Product use: Adhesive

Region: Canada Company address: Contact information:

Henkel Canada Corporation 6685 Kennedy Road, Suite #1 Mississauga, Ontario L5T 3A5

IDH number: 530538 Product name: LePage Carpenter's Glue

Page 1 of 1

Telephone: 800.624.7767 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Physical state: LiquidLiquid WHMIS hazard class: D.2.B Color: opaque, Yellowopaque, Yellow Odor: characteristiccharacteristic

CAUTION: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

MAY CAUSE GASTROINTESTINAL IRRITATION IF SWALLOWED.

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Inhalation: May cause slight irritation. Skin contact: May cause mild skin irritation. Eye contact: May cause mild irritation Ingestion: May cause gastrointestinal tract irritation if swallowed. Not expected under normal conditions of use.

Existing conditions aggravated by exposure:

None known

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components CAS NUMBER %

Vinyl acetate polymers Proprietary 30 - 60 Polyvinyl alcohol Proprietary 1 - 5 Boron oxide (B₂O₃) 1303-86-2 0.1 - 1

4. FIRST AID MEASURES

Inhalation: Move to fresh air. If not breathing, give artificial respiration. Get immediate medical attention.

Skin contact: Immediately wash skin thoroughly with soap and water. Remove contaminated clothing and footwear. Get immediate medical attention.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get immediate medical attention.

Material Safety Data Sheet

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.

5. FIRE FIGHTING MEASURES

Flash point: Not applicable

Autoignition temperature: Not determined

Flammable/Explosive limits - lower: Not determined

Flammable/Explosive limits - upper: Not determined

Extinguishing media: Foam, dry chemical or carbon dioxide. Water fog.

Special firefighting procedures: Firefighters should wear self-contained breathing apparatus. Water may be ineffective, but may be used to cool exposed containers to prevent pressure build-up and possible auto-ignition or explosion when exposed to extreme heat. If water is used, fog nozzles are preferable.

Unusual fire or explosion hazards: None identified.

Hazardous combustion products: Smoke. Oxides of carbon. Acetic acid

Sensitivity to Mechanical Impact: None

Sensitivity to static discharge: None

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Do not allow product to enter sewer or waterways.

Clean-up methods: Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Dispose of contaminated material as waste according to Chapter 13.

7. HANDLING AND STORAGE

Handling: Avoid breathing vapors or mists of this product. Use only in well-ventilated areas. Wash thoroughly after handling.

Storage: Protect from freezing. Protect from freezing.

For information on product shelf life contact Henkel Canada Customer Service at (905) 814-6511.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

IDH number: 530538 Product name: LePage Carpenter's Glue

Hazardous components ACGIH TLV OSHA PEL AIHA WEEL OTHER

Vinyl acetate polymers None None None None Polyvinyl alcohol None None None None

Boron oxide (B₂O₃) 10 mg/m³ TWA

15 mg/m³ TWA Total dust.

None None

Engineering controls: Work should be done in an adequately ventilated area (i.e., ventilation sufficient to maintain concentrations below one half of the PEL and other relevant standards). Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination.

Respiratory protection: Not available.

Eye/face protection: Not available.

Skin protection: Not available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: LiquidLiquid Color: opaque, Yellowopaque, Yellow Odor: characteristiccharacteristic Odor threshold: Not available. pH: 4 - 5 pH: 4 - 5 Vapor pressure: Not available. Boiling point/range: 100 °C (212°F) 100 °C (212°F) Melting point/ range: Not determined Melting point/ range: Not determined Specific gravity: 1.08 Vapor density: Not determined Flash point: Not applicableNot applicable Flammable/Explosive limits - lower: Not determinedNot determined Flammable/Explosive limits - upper: Not determinedNot determined Autoignition temperature: Not determined Autoignition temperature: Not determined Evaporation rate: 0.36 (Butyl acetate = 1) Solubility in water: Dispersible Solubility in water: Dispersible Partition coefficient (n-octanol/water): Not determined VOC content: Not available.

10. STABILITY AND REACTIVITY

Stability: Normally stable.

Hazardous reactions: Will not occur.

Hazardous decomposition products: Smoke. Oxides of carbon.

Incompatible materials: This product may react with strong acids, bases and oxidizing agents.

Conditions to avoid: Store away from incompatible materials.

11. TOXICOLOGICAL INFORMATION

Toxicologically synergistic products: Not available.

IDH number: 530538 Product name: LePage Carpenter's Glue

Refer to the following for Irritancy of Product, Sensitization to Product, Carcinogenicity, Reproductive Toxicity, Teratogenicity, and Mutagenicity.

Hazardous components NTP Carcinogen IARC Carcinogen

OSHA Carcinogen

(Specifically

Regulated)

ACGIH Carcinogen

Vinyl acetate polymers No No No No Polyvinyl alcohol No No No No Boron oxide (B₂O₃) No No No No

Hazardous components LD50s and LC50s Health Effects/Target Organs

Vinyl acetate polymers None No Data Polyvinyl alcohol None No Records

Boron oxide (B₂O₃) None

Blood, Central nervous system, Gastrointestinal, Irritant, Kidney, Liver, Lung, Metabolic, Nuisance dust, Skin,
Vascular

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

14. TRANSPORT INFORMATION

The shipping classification in this section are for bulk packaging only. Shipping classification may be different for non-bulk packaging as exceptions may apply. Refer to shipping documents for package specific transportation classification.

Canada Transportation of Dangerous Goods - Ground

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

IDH number: 530538 Product name: LePage Carpenter's Glue

15. REGULATORY INFORMATION

Canada Regulatory Information

CEPA DSL/NDL Status: All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR), and the MSDS contains all the information required by the CPR.

Prepared by: Karim Nasr, Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 530538 Product name: LePage Carpenter's Glue