

Material Safety Data Sheet



Revision Number: 001.0

Issue date: 02/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LePage Interior/Exterior Wood Filler Light tan
Product use: Filler
Region: Canada
Company address: Henkel Canada Corporation
2225 Meadowpine Boulevard
Mississauga, Ontario L4N 7P2
Contact information:
Telephone: 800.624.7767
MEDICAL EMERGENCY Phone: Poison Control Center
1-877-671-4608 (toll free) or 1-905-992-1711
TRANSPORT EMERGENCY Phone: CHEMTREC
1-800-424-9300 (toll free) or 1-703-527-3887

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Physical state: Paste
Color: Tan
Odor: Characteristic
WHMIS hazard class: D.2.A

CAUTION: MAY CAUSE EYE AND SKIN IRRITATION.

Relevant routes of exposure: Skin, Eyes, Inhalation

Potential Health Effects

Inhalation: Dusts of this product may cause irritation of the nose, throat, and respiratory tract. Chronic exposure to dust containing quartz silica in excess of exposure limits can cause silicosis and can also increase the risks of developing respiratory cancer.
Skin contact: May cause slight irritation to skin.
Eye contact: May cause slight irritation to eyes on contact.
Ingestion: Not expected to be harmful by ingestion.

Existing conditions aggravated by exposure: None known

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
Quartz (SiO ₂)	14808-60-7	0.1 - 1
Titanium dioxide	13463-67-7	0.1 - 1

4. FIRST AID MEASURES

Inhalation: Move to fresh air in case of accidental inhalation of vapours.
Skin contact: Wash affected area immediately with soap and water.
Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. If symptoms develop and persist, get medical attention.
Ingestion: Consult a physician if necessary.

IDH number: 462071

Product name: LePage Interior/Exterior Wood Filler Light tan
Page 1 of 4

Revision Number: 001.0 Issue date: 02/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LePage Interior/Exterior Wood Filler

Light tan

IDH number: 462071 Product name: LePage Interior/Exterior Wood Filler Light tan

Page 1 of 4

IDH number: 462071

Product use: Filler

Region: Canada Company address: Contact information:

Henkel Canada Corporation 2225 Meadowpine Boulevard Mississauga, Ontario L5N 7P2

Telephone: 800.624.7767 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Physical state: Paste WHMIS hazard

class: D.2.A Color: Tan Odor: Characteristic

CAUTION: MAY CAUSE EYE AND SKIN IRRITATION.

Relevant routes of exposure: Skin, Eyes, Inhalation

Potential Health Effects

Inhalation: Dusts of this product may cause irritation of the nose, throat, and respiratory tract. Chronic exposure to dust containing quartz silica in excess of exposure limits can cause silicosis and can also increase the risks of developing respiratory cancer. Skin contact: May cause slight irritation to skin. Eye contact: May cause slight irritation to eyes on contact. Ingestion: Not expected to be harmful by ingestion.

Existing conditions aggravated by exposure:

None known

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components CAS NUMBER %

Quartz (SiO₂) 14808-60-7 0.1 - 1 Titanium dioxide 13463-67-7 0.1 - 1

4. FIRST AID MEASURES

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

Skin contact: Wash affected area immediately with soap and water.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. If symptoms develop and persist, get medical attention.

Ingestion: Consult a physician if necessary.

Material Safety Data Sheet

5. FIRE FIGHTING MEASURES

Flash point: not applicable

Autoignition temperature: Not available

Flammable/Explosive limits - lower: Not available

Flammable/Explosive limits - upper: Not available

Extinguishing media: Carbon dioxide, foam, powder Water fog.

Special firefighting procedures: Use water spray to keep fire exposed containers cool and disperse vapors.

Unusual fire or explosion hazards: Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.

Hazardous combustion products: Oxides of carbon.

Sensitivity to Mechanical Impact: Not available

Sensitivity to static discharge: Not available

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Not available

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for disposal.

7. HANDLING AND STORAGE

Handling: Avoid prolonged or repeated skin contact with this material. Do not breathe dust. Keep out of the reach of children.

Storage: For safe storage, store at or above 0 °C (32°F)

Keep from freezing. Store in a cool, dry area. Keep containers closed when not in use.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components ACGIH TLV OSHA PEL AIHA WEEL OTHER

Quartz (SiO₂)

2.4 MPPCF TWA Respirable. 0.025 mg/m³ TWA

0.1 mg/m³ TWA Respirable fraction.

Respirable.

None None

0.3 mg/m³ TWA Total dust.

Titanium dioxide 10 mg/m³ TWA

15 mg/m³ TWA Total dust.

None None

Engineering controls: Use local ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits.

IDH number: 462071 Product name: LePage Interior/Exterior Wood Filler Light tan

Page 2 of 4

Respiratory protection: Respirator must be worn if exposed to dust. Use NIOSH approved respirator if there is potential to exceed exposure limit(s). When sanding or abrading the dried film, wear a dust/mist respirator approved by NIOSH for dust which may be generated from this product, underlying paint, or the abrasive.

Eye/face protection: Safety goggles or safety glasses with side shields.

Skin protection: Suitable protective clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Paste **Color:** Tan **Odor:** Characteristic **Odor threshold:** Not available **pH:** Not available **Vapor pressure:** Not available **Boiling point/range:** 100 °C (212°F) **Melting point/ range:** Not available **Specific gravity:** 0.8600 **Vapor density:** Not available **Flash point:** not applicable **Flammable/Explosive limits - lower:** Not available **Flammable/Explosive limits - upper:** Not available **Autoignition temperature:** Not available **Evaporation rate:** 1.00 (Water = 1) **Solubility in water:** Partially soluble **Partition coefficient (n-octanol/water):** Not available **VOC content:** Not available

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: Will not occur.

Hazardous decomposition products: Oxides of carbon.

Incompatible materials: None

Conditions to avoid: Do not freeze. Excessive heat.

11. TOXICOLOGICAL INFORMATION

Toxicologically synergistic products: Not available

Refer to the following for Irritancy of Product, Sensitization to Product, Carcinogenicity, Reproductive Toxicity, Teratogenicity, and Mutagenicity.

Hazardous components NTP Carcinogen IARC Carcinogen

OSHA Carcinogen

(Specifically

Regulated)

ACGIH Carcinogen

Quartz (SiO₂) Known carcinogen. Group 1 No Group A2 Titanium dioxide No Group 2B No Group A4

Hazardous components LD50s and LC50s Health Effects/Target Organs

Quartz (SiO₂) None

Immune system, Lung, Some evidence of carcinogenicity

Titanium dioxide None

Irritant, Respiratory, Some evidence of carcinogenicity

IDH number: 462071 Product name: LePage Interior/Exterior Wood Filler Light tan

12. ECOLOGICAL INFORMATION

Ecological information: Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

14. TRANSPORT INFORMATION

The shipping classification in this section are for bulk packaging only. Shipping classification may be different for non-bulk packaging as exceptions may apply. Refer to shipping documents for package specific transportation classification.

Canada Transportation of Dangerous Goods - Ground

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

15. REGULATORY INFORMATION

Canada Regulatory Information

CEPA DSL/NDL Status: All components are listed on or are exempt from listing on the Domestic Substances List.

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

inventory.

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: Not available

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR), and the MSDS contains all the information required by the CPR.

Prepared by: Karim Nasr, Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 462071 Product name: LePage Interior/Exterior Wood Filler Light tan

